




# PERLA dB

# PERLA dB




PERLA dB	BOARD	TEGULAR	MICROLOOK BE	SL2	
	 Prelude XL <sup>2</sup> /TLX 24 mm Prelude Sixty <sup>2</sup>	 Prelude XL <sup>2</sup> /TLX 24 mm Prelude Sixty <sup>2</sup>	 Prelude XL <sup>2</sup> /TL 15 mm Silhouette XL <sup>2</sup> 15 mm Interlude XL <sup>2</sup> 15 mm	 Prelude 24 mm Main Runner Prelude Sixty <sup>2</sup>	 System Z
<b>Board &amp; Tiles</b>					
600 x 600 x 19 mm	3191 M	3192 M	3193 M		
<b>Planks</b>					
300 x 1500 x 19 mm					3797 M
300 x 1800 x 19 mm					3798 M
300 x 2500 x 19 mm					3799 M



EN ISO 354 & EN ISO 11654

$\alpha_w$	NRC	125	250	500	1000	2000	4000	Hz
• Board, Tegular, MicroLook BE								
<b>0.60(H)</b>	0.65	0.30	0.40	0.55	0.70	0.85	0.95	$\alpha_p$
<b>Sound Absorption Class = C</b>								
• SL2								
<b>0.50(H)</b>	0.50	0.30	0.35	0.40	0.60	0.70	0.80	$\alpha_p$
<b>Sound Absorption Class = D</b>								



EN ISO 10848-2 & EN ISO 717-1

$D_{nfw}$
<b>43 dB (SL2)</b>
<b>41 dB (Board, Tegular, MicroLook BE)</b>



EN ISO 140-3 & EN ISO 717-1

$R_w$
<b>21 dB (Board, Tegular, MicroLook BE)</b>



EN 13501-1

EEA Euroclass A2-s1, d0

RUS G1, V1, D1, T1 to FZ 123



EN 12667 & ISO 8301

$\lambda = 0.06$  W/m K



95 % RH



15 YEAR guarantee



7.6 kg/m<sup>2</sup>



Please contact our Armstrong Technical Sales Group for further details.

[www.armstrong.eu](http://www.armstrong.eu)

